

ELF EVOLUTION 900 FTX 0W-20 is the top performance motor oil using ELF Advanced Synthetic Technology, intended for lubrication of gasoline passenger car engines.

## Technical Data Sheet

International  
Specifications

API SN  
ILSAC GF-5

\* Refer to the maintenance book of your vehicle to know the recommendation of the manufacturer.

## 1 - Applications

ELF EVOLUTION 900 FTX 0W-20 is recommended for all high-performance gasoline engine cars equipped with direct or indirect injection, multi-valve and turbo-charge technologies.

Meets the needs of the motor manufacturers regarding extended oil change intervals. It is suitable for all types of service (urban, highway or motorway), especially in very severe conditions.

## 2 - Customer Benefits

Excellent start-up performance, prevents sludge build-up and controls oxidation  
Optimum power and performance under most severe driving conditions  
Fully compatible with all gasoline emission control devices

## 3 - Characteristics

TEST	TEST METHOD	UNITS	VALUE
Density at 15°C	ASTM D1298	kg/m <sup>3</sup>	848
Kinematic Viscosity at 40°C	ASTM D445	mm <sup>2</sup> /s	43
Kinematic Viscosity at 100°C	ASTM D445	mm <sup>2</sup> /s	8.1
Viscosity index	ASTM D2270	-	166
Pour point	ASTM D97	°C	-39
Flash point	ASTM D92	°C	229
TBN	ASTM D2896	mgKOH/g	-
Sulphated Ash	ASTM D874	% m/m	-

\* The characteristics given above are obtained with a standard tolerance threshold during production and may not be considered specifications.

## 4 - Recommendations for Use

Before using the product, the vehicle's maintenance guide should be checked. Oil changes should be carried out in accordance with the manufacturer's recommendations.

The product should not be stored at temperatures over 60°C. It should be kept away from sunlight, intense cold and extreme temperature fluctuations. If possible, the packaging should not be exposed to the elements.

Otherwise, the drums should be laid horizontally in order to avoid any contamination from water and to prevent the product's label from rubbing off.

## 5 - Health, Safety and The Environment

Based on the toxicological information available, this product should not cause any adverse health effects, provided it is used for its intended purpose and in accordance with the recommendations laid out in the Safety Data Sheet (SDS).

The Safety Data Sheet can be obtained on request from your local reseller and is available for consultation at <https://ms-sds.totalenergies.com>.

This product should not be used for any purposes other than the ones for which it is intended.